Author Index to Volume 22

ABRAHAM, R.R., DORNHOST, A., WYNN, V., ALTAHER, A.R.H., CAMPBELL, E.A., BECKFORD, U., WATTS, S.M., NICHOLSON, S.A., GILLHAM, B., THODY, A. and JONES, M.T. Corticotrophin, cortisol, prolactin and growth hormone responses to insulin-induced hypoglycaemia in normal subjects given sodium valproate, 639

ADAMS, E.F., ASHBY, M.J., BURRIN, J., YEO, T.H., DRUCKER, R., STRINGER, K. and MASHITER, K. Effect of nivazol on ACTH secretion by human pituitary corticotrophic tumours in cell culture, 631

ADAMS, C.B.T. see Grossman, A. et al. ADAMS, J.E. see Stephens, W.P. et al. ADAMS, J. see Stanhope, R. et al.

ADRIAN, T. E. see Stevenson, J.C. et al.

ALBERTI, K.G.M.M. see Spruce, B.A. et al., also Johnston, D.G. et al.

ALLOLIO, B. see Deuss, U. et al.

ALLOLIO, B., DORR, H., STUTTMAN, R., KNORR, D., ENGELHARDT, D. and WINKELMANN, W. Effect of a single bolus of ectomidate upon eight major corticosteroid hormones and plasma ACTH, 281

ALTAHER, A.R.H. see Abraham, R.R. et al. ANDERSON, D.C. see Dewis, P. et al., also Petsos, P.

et al. APTER, D. and VIHKO, R. Premenarcheal endocrine changes in relation to age at menarche, 753

ARKELL, D. see Clayton, R.N. et al. ARMANINI, D. see Fallo, F. et al. ARTEAGE, E. see Shackleton, C.H.L. et al. ASHBY, M.J. see Adams, E.F. et al.

BÄCKSTRÖM, T., SMITH, S., LOTHIAN, H. and BAIRD, D.T. Prolonged follicular phase and depressed gonadotrophins following hysterectomy and corpus lute-ectomy in women with premenstrual syndrome 723

BÄCKSTRÖM, T. see Bancroft, J. and Bäckström, T. BAILEY, L.C. see Clayton, R.N. et al.

BAIRD, D.T. see Bäckström, T. et al.

BALDINI, M. see Catania, A. et al. BANCROFT, J. and BÄCKSTRÖM, T. Premenstrual syndrome, 313

BARILLI, A.L. see Roti, E. et al. BARRY, H.E. see Cundy, T. et al.

BAYLIS, P. see Gill, G. et al., also Johnston, D.G. et al., also Spruce, B.A. et al.

BEARD, D.J. see Guilland-Cumming, D.F. et al. BECKFORD, U. see Abraham, R.R. et al.

Bell, G.M., Todd, W.T.A., Forfar, J.C., MARTYN, C., WATHEN, C.G., GOW, S., RIE-MERSMA, R. and Toft, A.D. End-organ responses to thyroxine therapy in subclinical hypothyroidism, 83

BENRAAD, T.J. see Hermus, A.R.M.M. et al.

BERGANS, A. see Fuss, M. et al.

BERMANS, B. see Davies, T.F. et al.

BESSER, G.M. see Bouloux, P-M.G. et al., also Grossman, A. et al., also Hitman, G.A. et al. also Howlett, T.A. et al., also Sopwith, A.M. et al.

BIOT-LAPORTE, S. see Sassolas, G. et al.

BLACKLEDGE, G.R.P. see Clayton, R.N. et al. BLALOCK, J.E. Proopiomelanocortin-derived peptides in the immune system, 823

BLOOM, S.R. see Stevenson, J.C. et al.

BORSON, F. see Sassolas, G. et al.

BOUILLON, R. see Fuss, M. et al.

BOULOUX, P-M.G., GROSSMAN, A., LYTRAS, N. and BESSER, G.M. Evidence for the participation of endogenous opioids in the sympathoadrenal response to hypoglycaemia in man, 49

Bouloux, P-M.G. see Grossman, A. et al. BRAUMAN, H. see Fuss, M. et al. BRAVERMAN, L.E. see Roti, E. et al.

Bremner, W.J. see Matsumoto, A.M. et al.

BROCHNER MORTENSEN, J. see Kristiansen, J.H. et al.

BROOK, C.G.D. see Stanhope, R. et al., also Taylor, RIetal

BRUCHOVSKY, N. see Rennie, P.S. et al.

BUCHHAVE, J. see Eskildsen, P.C. et al.

BUCKLAND, P.R. see Parkes, A.B. et al. BURD, J. SEE SPRUCE, B.A. et al.

BURN, J. SEE GILL, G. et al.

BURRIN, J. see Adams, E.F. et al.

Byfield, L.G.H. see Lalloz, M.R.A. et al.

CAMPBELL, E.A. see Abraham, R.R. et al. CANTALAMESSA, L. see Catania, A. et al.

CASPER, R.F. and YEN, S.S.C. Neuroendocrinology of menopausal flushes: an hypothesis of flush mechanisms, 293

CATANIA, A., CANTALAMESSA, L., VENEGONI, E., ORSATTI, A., BALDINI, M. and ZANUSSI, C. Evidence for differing dopaminergic activity in childhood- or adult-onset diabetes, 75

CHANDLER, C. see Petsos, P. et al.

CHARLESWORTH, M. see Grossman, A. et al.

CHRISTOFIDES, N.D. see Stevenson, J.C. et al.

CLAYTON, R.N., BAILEY, L.C., COTTAM, J., ARKELL, D., PERREN, T.J. and BLACKLEDGE, G.R.P. A radioimmunoassay for GnRH agonist analogue in serum of patients with prostate cancer treated with p-Ser(tBu)6AZA Gly10GnRH, 453

CLAYTON, R.N., WEBB, J., HEATH, D.A., DUNN, P.J.S., ROLFE, E.B. and HOCKLEY, A.D. Dramatic and rapid shrinkage of a massive invasive prolactinoma with bromocriptine: a case report, 573 COGAN. E. see Fuss. M. et al.

COHEN, R. see Sassolas, G. et al. CONAGLEN, J.V. see Milsom, S.R. et al. COOK, D.B., see Sharpe, G.F. et al.

Cook, D.B., see Sharpe, G.F. et al. Cook, D. see Johnston, D.G. et al.

CORVILAIN, J. see Fuss, M. et al. COTTAM, J. see Clayton, R.N. et al.

CREAGH, F.M. see Parkes, A.B. et al.
CROUGHS, R.J.M. see Nortier, J.W.R. et al.

CROXSON, M.S. see Evans, M. et al.

CUNDY, T., DARBY, A.J., BARRY, H.E. and PARSONS, V. Bone metabolism in acute parathyroid crisis, 787

DALY, J.G. see Greenwood, R.M. et al. D'AMATO, L. see Roti, E. et al.

DARBY, A.J. see Cundy, T. et al.

DAVIES, M.J. see Vaughan, N.J.A. et al.

Davies, T.F., Bermans, B., Platzer, M. and Roman, S.H. T-cell sensitization to autologous thyroid cells and normal non-specific suppressor T-cell function in Graves' disease, 155

DAVISON, C., see Sharpe, G.F. et al. DAVIS, J.R. see Franklyn, J.A. et al.

DEUSS, U., ALLOLIO, B., KAULEN, D., FISCHER, H. and WINKELMANN, W. Effects of high-dose and low-dose naloxone on plasma ACTH in patients with ACTH hypersecretion. 273

Dewis, P., Petsos, P., Newman, M. and Anderson, D.A. The treatment of hirsutism with a combination of desogestrel and ethinyl oestradiol, 29

Dieguez, C. see Evans, P.J. et al., also Salvador, J. et al.

DIGGLE, P.J. see Murdoch, A.P. et al.

DOLMAN, L. SEE WHITAKER, M.D. et al. DONALDSON, A. see Stuart-Harris, R. et al.

DONALD, R.A. see Milsom, S.R. et al.

DONIACH, I. GROSSMAN A. et al., also Howlett, T.A. et al., also Hale, A.C. et al.

DORNHORST, A. see Abraham, R.R. et al.

DORR, H. see Allolio, B. et al.

Douglas, D.L. see Guilland-Cumming, D.F. et al.

Dowsett, M. see Stuart-Harris, R. et al.

DRENICK, E.J. see Kaptein, E.M. et al.

DRUCKER, R. see Adams, E.F. et al. D'SOUZA, A. see Stuart-Harris, R. et al.

Duda, M.J. see Kaptein, E.M. et al.

DUNGER, D.B., LIGHTMAN, S., WILLIAMS, M., PRECE, M.A. and GRANT, D.B. Lack of thirst, osmoreceptor dysfunction, early puberty and abnormally aggressive behaviour in two boys, 469 DUNLOP, W. see Murdoch, A.P. et al.

DUNN, P.J.S. see Clayton, R.N. et al. DURITY, F. see Whitaker, M.D. et al.

EDWARDS, C. see Salvador, J. et al. EDWARDS, A. see Williams, T.D.M. et al. ELM CHARFI, A. see Sassolas, G. et al. ENGELHARDT, D. see Allolio, B. et al.

ESKILDSEN, P.C., HOMMEL, E. and BUCHHAVE, J. The effect of a new ergoline derivative, CU 32-085, in the treatment of acromegaly. A controlled study, 180

ESPINER, E.A. see Milsom, S.R. et al.

EVANS, M., CROXSON, M.S., WILSON, T.M. and IBBERTSON, H.K. The screening of patients with suspected thyrotoxicosis using a sensitive TSH radioimmunoassay, 445

EVANS, P.J., DIEGUEZ, C., FOORD, S., PETERS, J.R., HALL, R. and SCANLON, M.F. The effects of cholinergic blockade on the growth hormone and prolactin responses to insulin hypoglycaemia, 733

FAIRHALL, K.M. see Williams, T.D.M. et al.

Fallo, F., Sonino, N., Armanini, D., Luzzi, T., Pedini, F., Pasini, C. and Mantero, F. A new family with dexamethasone-suppressible hyperal-dosteronism: aldosterone unresponsiveness to angiotensin II, 777

FEDERSPIL, G. see Foresta, C. et al.
FEICHTINGER, J. see Gasser, R.W. et al.
FELDT-RASMUSSEN, U. see Hegedus, L. et al.

FERRY, S. see Sassolas, G. et al.

FINKENSTEDT, G. see Gasser, R.W. et al. FISCHER, H. see Deuss, U. et al.

FISLER, J.S. see Kaptein, E.M. et al. FOORD, S.M. see Evans, P.J. et al., also Salvador, J.

et al.

FORESTA, C., SCANELLI, G., INDINO, M., FEDERSPIL,
G. and SCANDELLARI, C. Naloxone reduces the fenfluramine-induced prolactin release in man,

FORFAR, J.C. see Bell, G.M. et al.

Franklyn, J.A., Davis, J.R., Gammage, M.D., Littler, W.A., Ramsden, D.B. and Sheppard, M.C. Amiodarone and thyroid hormone action, 257

FRIESEN, H. see Johnston, D.G. et al.

Frölich, M. see Roelfsema, F. and Frölich, M.

FROMMHOLD, H. see Gasser, R.W. et al.

FUSS, M., COGAN, E., GILLET, C., KARMALI, R., GEURTS, J., BERGANS, A., BRAUMAN, H., BOUIL-LON, R. and CORVILAIN, J. Magnesium administration reverses the hypocalcaemia secondary to hypomagnesaemia despite low circulating levels of 25-hydroxyvitamin D and 1,25-dihydroxy vitamin D, 807 GALTON D. I see Hitman G.A. et al.

GAMMAGE, M.D. see Franklyn, J.A. et al.

GARDINI E see Roti E et al

GASSER, R.W., FINKENSTEDT, G., SKRABAL, F., TWERDY, K., GRUNERT, V., MAYR, U., FROMM-HOLD, H., ZUR NEDDEN, D., FEICHTINGER, J. and HOFSTAEDTER, F. Multiple intracranial metastases from a prolactin secreting pituitary tumour.

GEURTS, J. see Fuss, M. et al.

GIBLIN, E.C. see Matsumoto, A.M. et al.

GILL, G., BAYLIS, P. and BURN, J. A case of 'essential' hypernatraemia due to resetting of the osmostat, 545

GILLHAM, B. see Abraham, R.R. et al.

GILLET C see Fuss M et al

GIRARD, J. see Staub, J.J. et al.

GNUDI, A. see Roti, E. et al.

GODDARD, K.J. see Stephens, W.P. et al.

GOODMAN, I. see Vaughan, N.J.A. et al.

GOOREN, L.J.G., HARMSEN-LOUMAN, W. and VAN KESSEL, H. Follow-up of prolactin levels in longterm oestrogen-treated male-to-female transsexuals with regard to prolactinoma induction, 201

GOUT, P.W. see Rennie, P.S. et al.

Gow, S. see Bell, G.M. et al.

GRANT, D.B. see Dunger, D.B. et al.

GREENWOOD, R.M., DALY, J.G. and HIMSWORTH, R.L. Hyperthyroidism and the impalpable thyroid gland, 583

GROSSMAN, A., BOULOUX, P-M.G., LONERAGAN, R., REES, L.H., WASS, J.A.H. and BESSER, G.M. Comparison of the clinical activity of mesulergine and pergolide in the treatment of hyperprolactinaemia, 611

GROSSMAN, A. see Bouloux, P-M.G. et al.

GROSSMAN, A., ROSS, R., CHARLESWORTH, M., ADAMS., C.B.T., WASS, J.A.H., DONIACH, I. and BESSER, G.M. The effect of dopamine agonist therapy on large functionless pituitary tumours,

GRUNERT, V. see Gasser, R.W. et al.

GUILLAND-CUMMING, D.F., BEARD, D.J., DOUGLAS, D.L., JOHNSON, S.K., LAWSON-MATTHEW, P.J., RUSSELL, R.G.G. and KANIS, J.A. Abnormal vitamin D metabolism in Paget's disease of bone,

GUNN, C. see Weetman, A.P. et al. GUTTERIDGE, D.H. see Nicholson, G.C. et al.

HAGIWARA, K. see Konno, N. et al. HAIGH, J. see Johnston, D.G. et al.

HALE, A.C., MILLAR, J.B.G., RATTER, S.J., PICK-ARD, J.D., DONIACH, I. and REES, L.H. A case of pituitary dependent Cushing's disease with clinical and biochemical features of the ectopic ACTH syndrome, 479

HALE, A.C. see Howlett, T.A. et al.

HALL, R. see Evans, P.J. et al., also Salvador, J. et al., also Weetman, P.W. et al.

HAMBLIN, P.S., MOHR, V.S., STOCKIGT, J.R. and TOPLISS, D.J. Iopanic acid is of minimal benefit in the treatment of severe hyperthyroidism: conclusions from a case study, 503

HARA, I. see Nagasaka, A. et al.

HARMSEN-LOUMAN, W. see Gooren, L.J.G. et al.

HARRIS, A.L. see Stuart-Harris, R. et al.

HARRIS, P.E. see Salvador, I. et al.

HARTFEL, M.A. see Mooradian, A.D. et al.

HEATH, D.A. see Clayton, R.N. et al., also Loveridge, N. et al.

HEATON, A. see Johnston, D.G. et al., also Spruze, R.A. et al.

HEGEDUS, L., KARSTRUP, S., VEIERGANG, D., JACOBSEN, B., SKOVSTED, L. and FELDT-RAS-MUSSEN, U. High frequency of goitre in cigarette smokers, 287

HENNART, P., HOFVANDER, Y., VIS, H. and ROBYN, C. Comparative study of nursing mothers in Africa (Zaire) and in Europe (Sweden) breastfeeding behaviour, nutritional status, lactational hyperprolactinaemia and status of the menstrual cycle, 179

HERMUSS, A.R.M.M., PIETERS, G.F.F.M., PESMAN, G.J., SMALS, A.G.H., BENRAAD, T.J. and KLOP-PENBORG, P.W.C. ACTH and cortisol responses to ovine corticotrophin-releasing factor in patients with primary and secondary adrenal failure, 761

HIDAKA, H. see Nagasaka, A. et al.

HIMSWORTH, R.L. see Greenwood, R.M. et al., also Lalloz, M.R.A. et al.

HITMAN, G.A., KATZ, J., LYTRAS, N., JOWETT, N.I., Wass, J.A.H., Besser, G.M. and Galton, D.J. Are there genetic determinants for the glucose intolerance of acromegaly? 817

HOCKLEY, A.D. see Clayton, R.N. et al.

HOFSTAEDTER, F. see Gasser, R.W. et al.

HOFVANDER, Y. see Hennart, P. et al.

HOMMEL, E. see Eskildsen, P.C. et al.

HOWELLS, R.D. see Parkes, A.B. et al.

HOWLETT, T.A., PRICE, J., HALE, A.C., DONIACH, I., REES, L.R., WASS, J.A.H. and BESSER, G.M. Pituitary ACTH dependent Cushing's syndrome due to ectopic production of a bombesin-like peptide by a medullary carcinoma of the thyroid,

IBBERTSON, H.K. see Evans, M. et al. IMAI, Y. see Nagasaka, A. et al. INDINO, M. see Foresta, C. et al.

ITATSU, T. see Nagasaka, A. et al.

JACOBSEN, B. see Hegedus, L. et al.

JEFFCOATE, S.L. see Stuart-Harris, R. et al.

JENKINS, J.S. see Vaughan, N.J.A. et al.

JOHNSON, S.K. see Guilland-Cumming, D.F. et al.

JOHNSTON, D.G., HAIGH, J., PRESCOTT, R.W.G.,

HEATON, A., KENDALL-TAYLOR, P., BAYLIS, P.,

ALBERTI, K.G.M.M., ROWE, R., FRIESEN, H.,

COOK, D. and WATSON, M. Prolactin secretion
and biological activity in females with galactorrhoea and normal circulating prolactin concentrations at rest, 661

JONES, E.L. see Loveridge, N. et al. JONES, M.T. see Abraham, R.R. et al. JOWETT, N.I. see Hitman, G.A. et al.

KAJITA, Y. see Parkes, A.B. et al.
KAKINOKI, A., see Konno, N. et al.
KANIS, J.A. see Guilland-Cumming, D.F. et al.
KAPTEIN, E.M., FISLER, J.S., DUDA M.J., NICOLOFF,
J.T. and DRENICK, E.J. Relationship between the
changes in serum thyroid hormone levels and
protein status during prolonged protein supplemented caloric deprivation, 1

KARMALI, R. see Fuss, M. et al. KARSTRUP, S. see Hegedus, L. et al.

KATEVUO, K., VÄLIMÄKI, M., KETONEN, L., LAM-BERG, B-A. and PELKONEN, R. Computed tomography of the pituitary fossa in primary hypothyroidism. Effect of thyroxine treatment, 617

KATZ, J. see Hitman, G.A. et al. KAULEN, D. see Deuss, U. et al.

KENDALL-TAYLOR, P. see Johnston, D.G. et al., also Murdoch, A.P. et al., also Sharpe, G.F. et al.

KENT, G.N. see Loveridge, N. et al. KENT, J.C. see Nicholson, G.C. et al. KETONEN, L. see Katevuo, K. et al.

KLOPPENBORG, P.W.C. see Hermus, A.R.M.M. et al.

KNORR, D. see Allolio, B. et al.

KONNO, N., KAKINOKI, A., MIURA, K., HAGIWARA, K., TAGUCHI, H. and MINAMI, R. Serum concentration of unsaturated thyroxine-binding globulin in hyper- and hypothroidism, 249

KORCHIK, W.P. see Mooradian, A.D. et al.

KRISTIANSEN, J.H., BRØCHNER MORTENSEN, J. and PEDERSEN, K.O. Familial hypocalciuric hypercalcaemia I: renal handling of calcium, magnesium and phosphate, 103

LAING, I. see Stephens, W.P. et al.

LALLOZ, M.R.A., BYFIELD, L.G.H. and HIMS-WORTH, R.L. A new and distinctive albumin variant with increased affinities for both triiodothyronines and causing hyperthyroxinaemia, 521

LAMBERG, B-A. see Katevuo, K. et al.

LAROCHE, C.M. see Vaughan, N.J.A. et al.

LAWSON-MATTHEW, P.J. see Guilland-Cumming, D.F. et al.

LEE, K.A. see Matsumoto, A.M. et al.

Lewicka, S. and Vecsei, P. Clinical significance of unconjugated 3α , 5β -tetrahydroaldosterone and 5β -dihydroaldosterone measured by radioimmunoassay, 123

LIGHTMAN, S.L., see Dunger, D.B. et al., also Williams, T.D.M. et al.

LITTLER, W.A. see Franklyn, J.A. et al.

LIVESEY, J.H. see Milsom, S.R. et al.

LONERAGAN, R. see Grossman, A. et al.

LOPEZ, J.M. see Shackleton, C.H.L. et al.

LOTHIAN, H. see Bäckström, T. et al.

LOVERIDGE, N., KENT, G.N., HEATH, D.A. and JONES, E.L. Parathyroid hormone-like bioactivity in a patient with severe osteitis fibrosa cystica due to malignancy: renotropic actions of a tumour extract as assessed by cytochemical bioassay, 135 LUZZI, T. see Fallo, F. et al.

Lytras, N. see Bouloux, P-M.G. et al., also Hitman, G.A. et al.

Ma, K.W. see Mooradian, A.D. et al.

MANFREDI, A. see Roti, E. et al.

Mantero, F. see Fallo, F. et al.

MARTYN, C. see Bell, G.M. et al. MASHITER, K. see Adams, E.F. et al.

MATSUMOTO, A.M., SANDBLOM, R.E., SCHOENE, R.B., LEE, K.L., GIBLIN, E.C., PIERSON, D.J. and BREMNER, W.J. Testosterone replacement in hypogonadal men: effects on obstructive sleep apnoea, respiratory drives, and sleep, 713

MAYR, U. see Gasser, R.W. et al.

McCulloch, A.J. see Spruce, B.A. et al.

McGarrick, G.M. see Williams, T.D.M. et al.

McGregor, A.M. see Weetman, A.P. et al.

MILLAR, J.B.G. see HALE, A.C. et al.

MILSOM, S.R., CONAGLEN, J.V., DONALD, R.A., ESPINER, E.A., NICHOLLS, M.C., and LIVESEY, J.H. Augmentation of the response to CRF in man: relative contributions of endogenous angiotensin and vasopressin, 623

MIURA, K. see KONNO, N. et al.

MOHR, V.S. see Hamblin, P.S. et al.

MONTERMINI, M. see Roti, E. et al.

MOORADIAN, A.D., MORLEY, J.E., KORCHIK, W.P., MA, K.W., HARTFEL, M.A. and PARSONS, J.A. Comparison between bioactivity and immunoreactivity of serum prolactin in uraemia, 241

Morley, J.E., see Mooradian, A.D. et al.

MURDOCH, A.P., DIGGLE, P.J., DUNLOP, W. and KENDALL-TAYLOR, P. Determination of the frequency of pulsatile luteinizing hormone secretion by time series analysis, 341

Nagasaka, A., Hara, I., Imai, Y., Uchikawa, T., Yamauchi, K., Suzuki, S., Takatsuki, K., Tomita, A., Niinomi, H., Nakagawa, H., Itatsu, T. and Hidaka, H. Effect of fusaric acid (a dopamine β -hydroxylase inhibitor) on phaeochromocytoma, 437

NAKAGAWA, H. see Nagasaka, A. et al.

NEWMAN, M. see Dewis, P. et al.

Nicholson, G.C., Kent, J.C., Gutteridge, D.H. and Retallack, R.W. Estimation of 1,25-dihydroxyvitamin D by cytoreceptor and competitive protein binding assays without high pressure liquid chromatography 597

NICHOLLS, M.C. see Milsom, S.R. et al. NICHOLSON, S.A. see Abraham, R.R. et al.

NICOLOFF, J.T. see Kaptein, E.M. et al. NIINOMI, M. see Nagasaka, A. et al.

Northier, J.W.R., CROUGHS, R.J.M., THIJSSEN, J.H.H. and SCHWARZ, F. Bromocriptine therapy in acromegaly: effects on plasma GH levels, somatomedin-C levels and clinical activity, 209

OAK, M. see Petsos, P. et al. ORSATTI, A. see Catania, A. et al. ORSKOV, H. see Spruce, B.A. et al.

Parkes, A.B., Kajita, Y., Buckland, P.R., Howells, R.D., Rickards, C.R., Creagh, F.M. and Rees Smith, B. Immunoprecipitation of TSH-TSH receptor complexes, 511
Parsons, J.A. see Mooradian, A.D. et al.
Parsons, V. see Cundy, T. et al.
Pasini, C. see Fallo, F. et al.
Paul, S. see Staub, J.J. et al.
Pedersen, K.O. see Kristiansen, J.H. et al.
Pedini, F. see Fallo, F. et al.
Pedini, F. see Fallo, F. et al.

PENNY, E.S. see Sopwith, A.M. et al. PERREN, T.J. see Clayton, R.N. et al.

PESMAN, G.J. see Hermus, A.R.M.M. et al.

Peters, J.R. see Evans, P.J. et al., also Salvador, J. et al.

PETSOS, P. see Dewis, P. et al.

Petsos, P., Chandler, C., Oak, M., Ratcliffe, W.A., Wood, R. and Anderson, D.C. The assessment of ovulation by a combination of ultrasound and detailed serial hormone profiles in 35 women with long-standing unexplained infertility, 739

PICKARD, J.D. see Hale, A.C. et al.
PIERSON, D.J. see Matsumoto, A.M. et al.
PIETERS, G.F.F.M. see Hermus, A.R.M.M. et al.
PLATZER, M. see Davies, T.F. et al.
POLC, B. see Staub, J.J. et al.
PREECE, M.A. see Dunger, D.B. et al.
PRESCOTT, R.W.G. see Johnston, D.G. et al., also Sharpe, G.F. et al.
PRICE, J. see Howlett, T.A. et al.
PRINGLE, P.J. see STANHOPE, R. et al.
PRIOR, J.C. see Rennie, P.S. et al., also Whitaker, M.D. et al.
PUDEK, M.R. see Whitaker, M.D. et al.

RAMSDEN, D.B. see Franklyn, J.A. et al.
RATCLIFFE, W.A. see Petsos, P. et al.
RATTER, S.J. see Hale, A.C. c² al.
REES, L.H. see Grossman, A. et al. also Hale, A. C.
et al., also Howlett, T.A. et al., also Sopwith,
A.M. et al.

REES SMITH, B. see Parkes, A.B. et al. RENDELL, M. and SALMON, D. 'Chemical hyperthyroidism': the significance of elevated serum thyroxine levels in L-thyroxine treated individuals, 693

RENNIE, P.S., PRIOR, J.C., BRUCHOVSKY, N. and GOUT, P.W. Bioactive forms of serum lactogens: effects of treatment of prolactinoma patients with bromocriptine, 65

RETALLACK, R.W. see Nicholson, G.C. et al. RICKARDS, C.R. see Parkes, A.B. et al. RIEMERSMA, R. see Bell, G.M. et al. ROBINSON, I.C.A.F. see Williams, T.D.M. et al. ROBUSCHI, G. see Roti, E. et al.

ROBYN, C. see Hennart, P. et al.

RODRIGUEZ, J. see Shackleton, C.H.L. et al.

ROELFSEMA, F. and FROLICH, M. Glucose tolerance
and plasma immunoreactive insulin levels in

and plasma immunoreactive insulin levels in acromegalics before and after selective transsphenoidal surgery, 531

ROLFE, E.B. see Clayton, R.N. et al. ROMAN, S.H. see Davies, T.F. et al. ROSS, R. see Grossman, A. et al. ROSS, W.M. see Sharpe, G.F. et al.

ROTI, E., ROBUSCHI, G., MANFREDI, A., D'AMATO, L., GARDINI, E., SALVI, M., MONTERMINI, M., BARILLI, A.L., GNUDI, A. and BRAVERMAN, L.E. Comparative effects of sodium ipodate and iodide on serum thyroid hormone concentrations in patients with Graves' disease, 489

Rowe, R. see Johnston, D.G. et al.

RUSSELL, R.G.G. see Guilland-Cumming, D.F. et al.

RYFF-DELECHE, A.S. see Staub, J.J. et al.

SALMON, D. see Rendell, M. and Salmon, D.

SALVADOR, J., WILSON, D.W., HARRIS, P.E., PETERS, J.R., EDWARDS, C., FOORD, S.M., DIEGUEZ, C., HALL, R. and SCANLON, M.F. Relationships between the circadian rhythms of TSH, prolactin and cortisol in surgically treated microprolactinoma patients, 265

SALVI, M. see Roti, E. et al.

SANDBLOM, R.E. see Matsumoto, A.M. et al.

SASSOLAS, G., BIOT-LAPORTE, S., COHEN, R., ELM CHARFI, A., FERRY, S. and BORSON, F. Effects on growth hormone secretion following intravenous and subcutaneous injections of growth hormonereleasing factor (hGRG-44 NH2): comparison of immunoreactive plasma GRF levels, 645

SCANELLI, G. see Foresta, C. et al.

SCANLON, M.F. see Evans, P.J. et al., also Salvador, J. et al.

SCANDELLARI, C. see Foresta, C. et al. SCHEITHAUER, B. see Whitaker, M.D. et al. SCHOENE, R.B. see Matsumoto, A.M. et al. SCHWARZ, F. see Nortier, J.W.R. et al.

SCHACKLETON, C.H.L., RODRIGUEZ, J., ARTEAGA, E., LOPEZ, J.M. and WINTER, J.S.D. Congenital 11\beta-hydroxysteroid dehydrogenase deficiency associated with juvenile hypertension: corticosteroid metabolite profils of four patients and their families, 701

SHARPE, G.F., KENDALL-TAYLOR, P., PRESCOTT, R.W.G., Ross, W.M., Davison, C., Watson, M.J. and Cook, D.B. Pituitary function following megavoltage therapy for Cushing's disease: long term follow up, 169

SHEPPARD, M.C. see Franklyn, J.A. et al. SKOVSTED, L. see Hegedus, L. et al. SKRABAL, F. see Gasser, R.W. et al. SMALS, A.G.H. see Hermus, A.R.M.M. et al. SMITH, I.E. see Stuart-Harris, R. et al.

SMITH, P.J. see Taylor, B.J. et al.

SMITH, S. see Bäckström, T. et al. SONINO, N. see Fallo, F. et al.

SOPWITH, A.M., PENNY, E.S., BESSER, G.M. and REES, L.H. Stimulation by food of peripheral plasma immunoreactive growth hormone releasing factor, 337

SPRUCE, B.A., BAYLIS, P.H., BURD, J. and WATSON, M.J. Variation in osmoregulation of arginine vasopressin during the human menstrual cycle, 37

SPRUCE, B.A., McCulloch, A.J., Burd, J. Orskov, H., HEATON, A., BAYLIS, P.H. and ALBERTI, K.G.M.M. The effect of vasopressin infusion on glucose metabolism in man, 463

STANHOPE, R., PRINGLE, P.J. and BROOK, C.G.D. Alteration in the nocturnal pulsatile release of GH during the induction of puberty using low dose pulsatile LHRH: a case report, 117

STANHOPE, R., ADAMS, J. and BROOK, C.G.D. The

treatment of central precocious puberty using an intranasal LHRH analogue (buserelin), 795

STAUB, J.J., RYFF-DELECHE, A.S., PAUL, S., GIRARD, J., POLC, B. and VON DER OHE, M. Intranasal thyrotrophin releasing hormone is a potent stimulus for TSH release in man (comparison with intravenous and oral TRH), 567

STEPHENS, W.P., GODDARD, K.J., LAING, I. and ADAMS, J.E. Isolated adrenocorticotrophin deficiency and empty sella associated with hypothyroidism, 771

STEVENSON, J.C., ADRIAN, T.E., CHRISTOFIDES, N.D. and BLOOM, S.R. Effect of calcitonin on gastrointestinal regulatory peptides in man, 655

STOCKIGT, J.R. see Hamblin, P.S. et al.

STRINGER, K. see Adams, E.F. et al.

STUART-HARRIS, R., DOWSETT, M., D'SOUZA, A., DONALDSON, A., HARRIS, A.L., JEFFCOATE, S.L. and SMITH, I.E. Endocrine effects of low dose aminoglutethimide as an aromatase inhibitor in the treatment of breast cancer, 219

STUTTMAN, R. see Allolio, B. et al. SUZUKI, S. see Nagasaki, A. et al.

TAGUCHI, H. see Konno, N. et al. TAKATSUKI, K. see Nagasaki, A. et al.

TAYLOR, B.J., SMITH, P.J. and BROOK, C.G.D. Inhibition of physiological growth hormone secretion by atropine, 497

THUSSEN, J.H.H. see Northier, J.W.R. et al. THODY, A. see Abraham, R.R. et al. TODD, W.T.A. see Bell, G.M. et al. TOFT, A.D. see Bell, G.M. et al. TOMITA, A. see Nagasaki, A. et al. TOPLISS, D.J. see Hamblin, P.S. et al.

TWERDY, K. see Gasser, R.W. et al.

UCHIKAWA, T. see Nagasaka, A. et al.

VÄLIMÄKI, M. see Katevuo, K. et al. VAN KESSEL, H. see Gooren, L.J.G. et al. VAUGHAN, N.J.A., LAROCHE, C.M., GOODMAN, I., DAVIES, M.J. and JENKINS, J.S. Pituitary Cushing's disease arising from a previously non-functional corticotrophic chromophobe adenoma,

VECSEI, P. see Lewicka, S. and Vecsei, P. VEIERGANG, D. see Hegedus, L. et al. VENEGONI, E. see Catania, A. et al. VIKHO, R. see Apter, D. and Vikho, R. Vis, H. see Hennart, P. et al. VON DER OHE, M. see Staube, J.J. et al.

Wass, J.A.H. see Grossman, A. et al., also Hitman, G.A. et al., also Howlett, T.A. et al. WATHEN, C.G. see Bell, G.M. et al.

- WATSON, M.J., see Sharpe, G.F. et al., also Spruce D.A. et al.
- WATSON, M. see Johnston, D.G. et al.
- WATTS, S.M. see Abraham, R.R. et al.
- WEBB, J. see Clayton, R.N. et al.
- WEETMAN, A.P., GUNN, C., HALL, R. and McGre-GOR, A.M. The absence of any effect of methimazole on in vitro cell-mediated cytotoxicity. 57
- WHITAKER, M.D., PRIOR, J.C., SCHEITHAUER, B., DOLMAN, L., DURITY, F. and PUDEK, M.R. Gonadotrophin-secreting pituitary tumour: report and review, 43
- WILLIAMS, M. see Dunger, D.B. et al.
- WILLIAMS, T.D.M., EDWARDS, A., FAIRHALL, K.M., ROBINSON, I.C.A.F., McGARRICK, G.M. and LIGHTMAN, S.L. Influence of endogeneous and

- exogenous oestrogens on posterior pituitary secretion in women, 589
- Wilson, D.W. see Salvador, J. et al.
- WILSON, T.M. see Evans, M. et al.
- WINKELMANN, W. see Allolio, B. et al. also Deuss,
- WINTER, J.S.D. see Shackleton, C.H.L. et al.
- WOOD, R. see Petsos, P. et al.
- WYNN, V. see Abraham, R.R. et al.
- YAMAUCHI, K. see Nagasaka, A. et al. YEN, S.S.C. see Casper, R.F. and Yen, S.S.C.
- YEO, T.H. see Adams, E.F. et al.
- Zanussi, C. see Catania, A. et al. Zur Neddin, D. see Gasser, R.W. et al.



Subject Index to Volume 22

ACTH

effect of etomidate, 281

hypersecretion and naloxone, 273

in Cushing's, 479

response to ovine CRF in primary and secondary adrenal failure, 761

secretion by pituitary corticotrophic tumours, effect of nivazol, 631

Acromegaly

glucose tolerance and insulin after surgery, 531 genetic glucose intolerance, 817

and ergoline derivative, 189

Adrenal failure

and responses of ovine CRF, 761

Adrenocorticotrophin

deficiency and empty sella in hypothyroidism, 771

Adult-onset diabetes

dopaminergic activity in, 75

Aggressive behaviour in two boys, 469

Albumin

new and distinctive variant, 521

Aldosterone

unresponsive to angiotensin II, in dexamethasone suppressible hyperaldosteronism, 777

Aminoglutethimide, as aromatase inhibitor in breast cancer, 219

Amiodarone

and thyroid hormone, 249

Angiotensin

and CRF, 623

Arginine vasopressin

in menstrual cycle, 37

Aromatase

and aminoglutethimide, 219

Atropine

inhibition of GH secretion, 497

Bioactivity and immunoreactivity of prolactin, 241

Bombesin-like peptide

causes Cushing's syndrome, 91

Bone metabolism

in acute parathyroid crisis, 787

Bone

Paget's disease and vitamin D, 559

Breast cancer

aminoglutethimide in, 219

Bromocriptine

in acromegaly, and GH and somatomedin C, 209 shrinks prolactinoma, 573

treatment for prolactinoma, 65

Buserelin

and precocious puberty, 795

CRF

angiotensin and vasopressin, 623

CU 32-085, an ergoline derivative, in acromegaly,

Calcitonin

effect on gastrointestinal regulatory peptides, 655

Calcium

renal handling in familial hypocalciuric hypercalcaemia, 103

Caloric deprivation and thyroid hormones, 1

Cancer

aminoglutethimide in breast, 219

Chemical hyperthyroidism, 693

Childhood-onset diabetes

dopaminergic activity in, 75

Cholinergic blockade

effect on GH and prolactin, 733

Cigarettes and goitre, 287

Circadian rhythms

hormones in microprolactinoma, 265

Computed tomography

pituitary fossa in primary hypothyroidism, effect of thyroxine, 617

Congenital 11β-hydroxysteroid dehydrogenase deficiency and juvenile hypertension, 701

Corpus lute-ectomy in premenstrual syndrome,

Corticosteroids, effect of etomidate, 281

Corticotrophic chromophobe adenoma

and Cushing's disease, 147

Corticotrophin

response to insulin-induced hypoglycaemia after sodium valproate. 639

Cortisol

responses to ovine CRF in primary and secondary adrenal failure, 761

circadian rhythms, 265

response to insulin-induced hypoglycaemia after sodium valproate, 639

Cushing's disease

and ectopic ACTH, 479

from corticotrophic chromophobe adenoma, 147 pituitary after megavoltage therapy, 169

Cytoreceptor

and competitive binding protein assays for 1,25 dihydroxyvitamin D, 597

Cytotoxicity

and methimazole, 43

Desogestrel

and hirsutism, 29

Dexamethasone-suppressible hyperaldosteronism aldosterone unresponsiveness to angiotensin II 777

Diabetes

dopaminergic activity differs in, 75

1,25-Dihydroxyvitamin D

and magnesium in hypocalcaemia, 807 estimation without HPLC, with cytoreceptor and competitive protein binding assay, 597

5β-Dihydroaldosterone 123

Dopamine agonist and pituitary tumours, 678

Dopaminergic activity

in diabetes, 75

Early puberty, 469 Ectopic ACTH

in Cushing's, 479

Endocrine changes

premenarcheal, 753 Endogenous opioids

and hypoglycaemia, 49

Ergoline derivative and acromegaly, 189

Essential hypernatraemia

and resetting of the osmostat, 545 Ethinyl oestradiol

and hirsutism, 29

Etomidate

effect on corticosteroids and ACTH, 281

Familial hypocalciuric hypercalcaemia renal handling of Ca, Mg and PO₄, 103

Fenfluramine-induced prolactin and naloxone, 539

Follicular phase

prolonged after hysterectomy and corpus luteectomy in premenstrual syndrome, 723

Food

stimulates GRF, 337

Fusaric acid

and phaeochromocytoma, 437

GH

response to insulin-induced hypoglycaemia after sodium valproate, 639

secretion, inhibited by atropine, 497 and bromocriptine in acromegaly, 201

effect after injections of GRF, 645

effect of cholinergic blockade, 733 pulsatile release in induced puberty, 117

GRF

stimulated by food, 337

affect on GH after injections, 645

Galactorrhoea

prolactin secretion in, 661

Gastrointestinal regulatory peptides, effect of calcitonin, 655

Genetic glucose intolerance in acromegaly, 817

Glucose

genetic intolerance in acromegaly, 817 metabolism and vasopressin, 463

tolerance in acromegaly after transsphenoidal surgery, 531

Goitre and cigarettes, 287

Gonadotrophin-secreting pituitary tumour, 43

Gonadotrophins

after hysterectomy and corpus lute-ectomy in premenstrual syndrome, 723

Graves' disease

T-cells, 155

effect of sodium ipodate and iodide, 489

Hirsutism

treatment, 29

Hormone profiles

to assess ovulation, 739

Hydroxysteroid dehydrogenase deficiency congenital, 701

25-Hydroxyvitamin D

and magnesium in hypocalcaemia, 807

Hypernatraemia

and resetting of the osmostat, 545

Hyperprolactinaemia

mesulergine and pergolide in, 611

Hyperthyroidism

and impalpable thyroid, 583

and iopanic acid, 503

thyroxine-binding globulin in, 249

Hyperthyroxinaemia

caused by new albumin variant, 521

Hypocalcaemia

and magnesium, 807

Hypoglycaemia

and endogenous opioids, 49

Hypogonadism

and testosterone replacement, 713

Hypothyroidism

end-organ response to thyroxine therapy, 83

thyroxine-binding globulin, 249

Hysterectomy

in premenstrual syndrome, 723

Immune system

proopiomelanocortin-derived peptides, 823

Immunoprecipitation

of TSH-TSH receptor complexes, 511

Immunoreactivity

and bioactivity of prolactin, 241

Insulin

in acromegaly after transsphenoidal surgery, 531

- Insulin-induced hypoglycaemia
 - response of hormones to cholinergic blockade,
 - hormone responses after sodium valproate, 639
- Intracranial metastases
 - and prolactin secreting pituitary tumour, 17
- Intranasal TRH
 - stimulates TSH, 567
- Iopanic acid in hyperthyroidism, 503
- Juvenile hypertension
 - and congenital 11β-hydroxysteroid dehydrogenase, 701
- L-thyroxine treatment, 693
- LH
 - and time series analysis, 341
- LHRH analogue (buserelin)
- in precocious puberty, 795
- Lactogens
 - in prolactinoma treated with bromocriptine, 65
- Magnesium
 - and hypocalcaemia, 807
- and familial hypocalciuric hypercalcaemia, 103
- Medullary carcinoma of the thyroid
- produces bombesin-like peptide, 91 Megavoltage therapy for Cushing's
- pituitary function, 169
- Menarche
 - age at and premenarcheal endocrine changes, 739
- Menopausal flushes
 - neuroendocrinology, 293
- Menstrual cycle
- osmoregulation of arginine vasopressin, 37
- Mesulergine
 - in hyperprolactinaemia, 611
- Methimazole
 - and cytotoxicity, 57
- Microprolactinoma
 - circadian rhythms of hormones in, 265
- Naloxone
 - and fenfluramine-induced prolactin, 539
- in ACTH hypersecretion, 273
- Neuroendocrinology
- menopausal flushes, 293
- Nivazol
 - and ACTH secretion by pituitary corticotrophic tumours, 631
- Nursing mothers
 - comparison between Africa and Europe, 179
- Oestrogens
 - influence on posterior pituitary secretion, 589

- Osmoreceptor dysfunction
 - in boys, 469
- Osmoregulation
- of arginine vasopressin, 37
- Osmostat
- resetting and 'essential' hypernatraemia, 545
- Osteitis fibrosa cystica
- and parathyroid-hormone like activity, 135
- Ovine CRF
 - responses to in primary and secondary adrenal failure, 761
- Ovulation
 - assessed by ultra-sound and hormone profiles,
- Paget's disease of bone
 - and vitamin D, 559
- Parathyroid crisis, bone metabolism in, 787
- Parathyroid hormone
 - in osteitis fibrosa cystica, 135
- Pergolide
 - in hyperprolactinaemia, 611
- Phaeochromocytoma
 - and fusaric acid, 437
- Phosphate
 - renal handling in familial hypocalciuric hypercalcaemia, 103
- Pituitary ACTH dependent Cushing's syndrome, 91
- Pituitary
 - effect of nivazol on ACTH secretion in corticotrophic tumours, 631
 - computed tomography of fossa after thyroxine in
 - primary hypothyroidism, 617
 - influence of oestrogens on secretion, 589
 - tumour secreting gonadotrophin, 43 tumour secreting prolactin, 17
 - tumours and dopamine agonist, 679
 - after megavoltage therapy for Cushing's disease, 169
- influence of oestrogens on posterior secretion, 589
- Precocious puberty and buserelin, 795
- Premenarcheeal endocrine changes, 753
- Premenstrual syndrome, 313
- Prolactin
 - levels in oestrogen treated transsexuals, 201
 - naloxone reduces fenfluramine-induced release,
 - 539 effect of cholineregic blockade on response, 733
 - pituitary tumour secreting and intracranial metastases, 17
 - secretion in galactorrhoea, 661
- circadian rhythms, 265
- in uraemia, 241
- response to insulin-induced hypoglycaemia after sodium valproate, 639

- Prolactinoma, and oestrogen treatment of transsexuals, 201
 - shrinkage after bromocriptine, 573
- treated with bromocriptine, 65
- Proopiomelanocortin-derived peptides in the immune system, 823
- Prostate cancer
- treated with D-Ser(tBu)6AZA Gly10GnRH, 453
- Protein status and thyroid hormone, 1
- Puberty
- pulsatile release of GH in induction, 117
- Radioimmunoassay
 - for GnRH agonist analogue in treated prostate cancer, 453
 - for thyrotoxicosis, 445
- unconjugated 3α , 5β -tetrahydroaldosterone and 5β -dihydroaldosterone, 123
- Respiratory drives
 - and testosterone replacement, 713
- Sella
- empty in hypothyroidism, 771
- Sleep apnoea
 - and testosterone replacement, 713
- Sodium iodide and ipodate
- effect on thyroid hormone in Graves', 489
- Sodium valproate
 - response of hormones in insulin-induced hypoglycaemia, 639
- Somatomedin-C
 - and bromocriptine in acromegaly, 209
- T-cells
 - in Graves' disease, 155
- TRH
 - intranasal for TSH release, 567
- TSH
 - radioimmunoassay for screening for thyrotoxicosis, 445
 - circadian rhythms, 265

- TSH-TSH receptor complexes immunoprecipitation, 521
- Testosterone replacement in hypogonadism and sleep apnoea, respiratory drives, and sleep,
- Thirst lack
 - in two boys, 469
- Thyroid
 - hormone and amiodarone, 249
 - hormones in caloric deprivation, 1
 - impalpable in hyperthyroidism, 583
- Thyrotoxicosis
 - screened with TSH radioimmunoassay, 445
- Thyroxine
 - end-organ responses in hypothyroidism, 83
 - pituitary fossa in primary hypothyroidism after,
- Time series analysis
 - and LH, 341
- Transsexuals
 - prolactin in oestrogen-treatment in regard to prolactinoma, 201
- Triiodothyronines
- increased affinity with new ablumin variant, 521
- Ultrasound
 - to assess ovulation, 739
- Unconjugated 3α , 5β -tetrahydroaldosterone, 123
- Unsaturated thyroxine-binding globulin
 - in hyper- and hypothyroidism, 249
- Uraemia
 - prolactin in, 241
- Vasopressin
 - and CRF, 623
 - and glucose metabolism, 463
- Vitamin D
 - in Paget's disease of bone, 559
- Zaire, nursing mothers compared with Europe, 179

